

1	RIM EXIT DEVICE, NL LEVER	ED4200 A859ET M110 M51	RU
1	RIM CYLINDER	CR3000 - VERIFY KEYING	RU
1	ELECTRIC STRIKE	9400/9500 AS REQ'D	HS
1	BRIDGE RECTIFIER	2005M3	HS
1	CONC OVERHEAD STOP	6-336	RF
1	AUTOMATIC OPENER	6331	NO
1	PERIMETER GASKETING	BY ALUMINUM DOOR MFR.	PE
1	WIRING HARNESS - FRAME	QC-C3000P	MK
1	ACCESS CONTROL READER	OMNIPROX BY SECURITY CONTRACTOR	OT
1	DOOR RELEASE SWITCH	TS-18D	AK
1	POWER SUPPLY	BY SECURITY CONTRACTOR	SU

NOTES:

ENTRY BY VALID INPUT AT READER OR RECEPTION BUTTON TO RELEASE ELECTRIC STRIKE AND TRIGGER AUTO-DOOR OPERATION. MANUAL KEY OVERRIDE. FREE EGRESS AT ALL TIMES.


AUTO-DOOR OPERATION ON EGRESS IS TRIGGERED BY RECEPTION BUTTON ONLY. COORDINATE WITH ELECTRICAL AND SECURITY CONTRACTORS.

SET: 2.0

DOORS: 106.1

DESCRIPTION: ALUMINUM STOREFRONT - ACCESS CONTROL FUNCTION X REMOTE RELEASE X CLOSER W/ STOP

1	CONTINUOUS HINGE	XFMXXSL_ - HD1	PE
1	DEADLATCH	4900	AD
1	PULL PADDLE OPERATOR	4591-03	AD
1	MORTISE CYLINDER	CR1000 - VERIFY KEYING	RU
1	ELECTRIC STRIKE	7100	AD
1	PUSH PULL SET	RM251 MTG-TYPE 12XHD	RO
1	CLOSER W/ STOP	CPS7500	NO
1	CLOSER MTG PLATE	7788 IF REQ'D	NO
1	CLOSER STOP SPACER	6891	NO
1	PERIMETER GASKETING	BY ALUMINUM DOOR MFR.	PE
1	WIRING HARNESS - FRAME	QC-C3000P	MK
1	ACCESS CONTROL READER	OMNIPROX BY SECURITY CONTRACTOR	OT
1	DOOR RELEASE SWITCH	TS-18D	AK



DESCRIPTION: ALUMINUM STOREFRONT - EXIT ONLY FUNCTION

1	CONTINUOUS HINGE	XFMXXSL_ - HD1	PE
1	RIM EXIT DEVICE, EXIT ONLY	ED4200 EO M110 M51	RU
1	CONC OVERHEAD STOP	6-336	RF
1	CLOSER, TOP JAMB MOUNT	J7500 W/ PLATE	NO
1	PERIMETER GASKETING	BY ALUMINUM DOOR MFR.	PE

SET: 5.0

DOORS: 242

DESCRIPTION: ACCESS CONTROL FUNCTION X REMOTE RELEASE

3	HINGE, FULL MORTISE	TA2714 NRP 4-1/2" X 4-1/2"	MK
1	STOREROOM LOCK	CLX3357 AZD - VERIFY KEYING	RU
1	BRIDGE RECTIFIER	2005M3	HS
1	ELECTRIC STRIKE	4500C-LBM	HS
1	CLOSER, PA MOUNT	PR7500	NO
1	KICK PLATE	K1050 8" HEIGHT X CSK X BEV	RO
1	WALL STOP	400 SERIES FOR WALL TYPE	RO
3	SILENCER	608/609 AS REQ'D	RO
1	WIRING HARNESS - FRAME	QC-C3000P	MK
1	ACCESS CONTROL READER	OMNIPROX BY SECURITY CONTRACTOR	OT
1	DOOR RELEASE SWITCH	TS-18D	AK
1	INTERCOM SYSTEM	BY SECURITY CONTRACTOR	OT
1	POWER SUPPLY	BY SECURITY CONTRACTOR	SU

NOTES:

ENTRY BY VALID INPUT AT READER OR RECEPTION BUTTON TO RELEASE ELECTRIC STRIKE.
MANUAL KEY OVERRIDE. FREE EGRESS AT ALL TIMES.
COORDINATE WITH ELECTRICAL AND SECURITY CONTRACTORS.

SET: 6.0

DOORS: 228A

DESCRIPTION: ACCESS CONTROL FUNCTION X REMOTE RELEASE X CLOSER W/ STOP X HW HINGES

3	HW HINGE, FULL MORTISE	T4A3786 NRP 5" X 4-1/2"	MK
---	------------------------	-------------------------	----

1	STOREROOM LOCK	CLX3357 AZD - VERIFY KEYING	RU
1	BRIDGE RECTIFIER	2005M3	HS
1	ELECTRIC STRIKE	4500C-LBM	HS
1	CLOSER W/ STOP	CPS7500	NO
1	KICK PLATE	K1050 8" HEIGHT X CSK X BEV	RO
3	SILENCER	608/609 AS REQ'D	RO
1	WIRING HARNESS - FRAME	QC-C3000P	MK
1	ACCESS CONTROL READER	OMNIPROX BY SECURITY CONTRACTOR	OT
2	DOOR RELEASE SWITCH	TS-18D	AK
1	INTERCOM SYSTEM	BY SECURITY CONTRACTOR	OT
1	POWER SUPPLY	BY SECURITY CONTRACTOR	SU

NOTES:

ENTRY BY VALID INPUT AT READER OR RECEPTION BUTTON TO RELEASE ELECTRIC STRIKE.
MANUAL KEY OVERRIDE. FREE EGRESS AT ALL TIMES.

COORDINATE WITH ELECTRICAL AND SECURITY CONTRACTORS.

SET: 7.0

DOORS: 001.1, 001.2

DESCRIPTION: PUSH / PULL FUNCTION X CLOSER X HW HINGES

3	HW HINGE, FULL MORTISE	T4A3786 NRP 5" X 4-1/2"	MK
1	PULL PLATE	BF 111X70C	RO
1	PUSH PLATE	70C	RO
1	CLOSER, PA MOUNT	PR7500	NO
1	KICK PLATE	K1050 8" HEIGHT X CSK X BEV	RO
1	WALL STOP	400 SERIES FOR WALL TYPE	RO
3	SILENCER	608/609 AS REQ'D	RO

SET: 8.0

DOORS: 202.1

DESCRIPTION: PUSH / PULL FUNCTION X CLOSER (ELECTRONIC HOLD-OPEN)

3	HINGE, FULL MORTISE	TA2714 4-1/2" X 4- 1/2"	MK
1	PULL PLATE	BF 111X70C	RO
1	PUSH PLATE	70E	RO
1	CLOSER, PA MOUNT	PR7500	NO
1	ELECTROMAGNETIC HOLDER	BY OTHERS	RF
3	SILENCER	608/609 AS REQ'D	RO